


LIO G30

Product data sheet

Name	
Model ID	LIO G30
Energy efficiency class	B
Direct heat output	8,1 kW
Indirect heat output	0 kW
Energy efficiency index (EEI)	79
Fuel energy efficiency at nominal heat output Fuel energy efficiency at minimum load (partial load)	83,3% –
Note for special prerequisites for assembly, installation or maintenance of the single room heating unit	<ul style="list-style-type: none">· The fire protection and safety distances, among others for flammable materials, must be observed in any case.· This device must comply with the applicable installation conditions connected and may only be placed in an adequately ventilated room will. Before installing and using the device Read instructions· The requirements from the manual regarding assembling, installation, use and maintenance has to be followed.· Operating licence exclusively for Germany and only in combination with the air exhaust system (LAS) from the company EKA Edelstahlkamine



**Erwin Koppe – Keramische
Heizgeräte GmbH**

Koppe-Platz 1
D – 92676 Eschenbach i.d.OPf.

Fon: 09645 88-100

Fax: 09645 1048


Mail: info@ofenkoppe.de

ofenkoppe.de

LIO G30



Body black | steel with stainless steel cover



LIO G30 steel

Technical values

Rated heat output	7,5 kW
Rated heat output water	-
Rated heat output air	-
Heat output area	3,5 - 7,5 kW
Energy efficiency class	B

Dimensions and weights

Height in cm, approx.	116	A
Depth in cm, approx.	52	B
Depth in cm, approx.	41	C
Rear edge to centre of upper exhaust socket in cm, approx.	19	D
Height to upper edge of pipe socket connection top in cm approx.	114	E
Height of gas connection in cm approx.	5	H
Main gas connection	3/8 Zoll	
Minimum wall distance, side / rear / area sight window in cm approx.	20 10 100	
Weight in kg, approx.	114	

Fuels

Suitable fuels	Liquid gas G30
----------------	----------------

Room heating capacity*

Room heating capacity approx.	59 - 148 m ³
Nox-class	5
Efficiency	1

Inspection

EN 613

Basic model (body black)



black steel
incl. remote control

Special models (body black)



black steel
incl. WiFi box
for myfire app



**Erwin Koppe – Keramische
Heizgeräte GmbH**

Koppe-Platz 1
D – 92676 Eschenbach i.d.OPf.

Fon: 09645 88-100
Fax: 09645 1048

Mail: info@ofenkoppe.de

ofenkoppe.de

The indicated sizes and weights are non-binding approximates. Deviations of size and weight indications, production tolerances, construction changes and print errors are possible at all times and are reserved.



GAS OVEN





ENERG
енергия · ενέργεια



Koppe

LIO G30





7,5
kW

ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ · ENERGIJA · ENERGY · ENERGIE · ENERGI

2015/1186

